



UK National Standard for Marine Oil Spill Response Organisations

Document control

Version number: - 1, 2018

Document owner: - Maritime and Coastguard Agency and the Department for

Business, Energy and Industrial Strategy

Changes and amendments from last version

Version 1	New issue 2018





Contents

1.	Def	initions	4
2.	Abb	previations	5
3.	Intr	oduction and application	6
;	3.2.	Structure of the Standard	6
,	3.3.	Accreditation process	8
	3.3	.2 Exercise or actual response in lieu of certain audit checks	8
;	3.4.	Interim Return	9
;	3.5.	Complaints	9
Аp	pend	ix 1 – Capability Assessments	10
Аp	pend	ix 2 – Foundation Requirements	12
Α.:	2.2 Ca	apability Statement	12
Α.:	2.3 Ca	apability Matrix	15
Α.:	2.4 AI	erting, activating and mobilisation to scene	15
Α.:	2.5 R	esponse personnel selection and management	15
Α.:	2.6 Ed	quipment readiness	16
Α.:	2.7 O _l	perations	17
Α.:	2.8 Aı	udit	17
Α.:	2.9 Bı	usiness Continuity	18
Аp	pend	ix 3 - Qualifying entry requirements for response categories	19
Α.;	3.1 Ite	ems common to all response categories	19
	A.3	.1.1 PPE	19
	A.3	.1.2 Logistics	19
Α.	3.2 Ite	ems specific to the response category applied for	19
	A.3	.2.1 Dispersant application	19
	A.3	.2.2 Dispersant application – Offshore oil and gas	20
	A.3	.2.3 Sheltered / Enclosed Waters	22
	A.3	.2.4 Coastal and Large Estuary	23
	A.3	.2.5 Offshore Waters	24
	A.3	.2.6 Offshore Oil and Gas installation activities (including pipelines)	24
	A.3	.2.7 Shoreline clean up	25
Аp	pend	ix 4a Accreditation Process Requirements	27
Αp	pend	ix 4b Requirements for Accrediting Bodies	29
Аp	pend	ix 5 Currently Approved Accrediting Bodies	30
0 '	D -		





Appendix 6 Question Set	31
Appendix 7: Capability Matrix Template	45
Appendix 8: Incident Action Plan Template Requirements	49
Appendix 9: Tier 2 Mobilisation Exercise Requirements	51





1. Definitions

Name	Definition
Accreditation	In the context of this document, and that of the OPRC Guidelines, and the Guidance Notes for Preparing Oil Pollution Emergency Plans, 'Accreditation' refers to the process of external audit and validation undergone by an Oil Spill Response Organisation to ensure that they comply with the minimum requirements to deliver Tier 2 oil spill response services in the UK, as outlined in the UK Standard (hereafter referred to as "the Standard". The use of the word "Accreditation" in this document does not imply accreditation as defined in EU Regulation 765/2008 and is not to be confused with services provided by the national accreditation body for the UK, the United Kingdom Accreditation Service
Accredited oil spill response organisation	An organisation that has complied with the Standard and has undergone a process of external audit to verify this, conducted by an MCA/BEIS approved Accrediting Body
Approved Accrediting Body	The 'Accrediting Body' is the organisation that reviews, checks and verifies that the Oil Spill Response Organisation seeking accreditation meets the Standard in the categories of response they are applying for. These organisations must have gained approval to carry out this activity from the MCA and BEIS. Approval will be granted on the basis that the organisation in question is applying the Standard outlined in this document, fulfils the Accreditation Process Requirements in Appendix 4a and meets the specified minimum requirements for Accrediting Bodies in Appendix 4b
Basic seamanship skills	The knowledge, skills and ability necessary for a responder to deploy counter pollution equipment efficiently and safely from a vessel. The type of ship will be different for each area of operation, but for each appropriate vessel type the responder should have a good knowledge of the layout and particulars, ship terminology, safe working practices, appropriate knots, lashings, wires, shackles, anchors and the impact of towing or deploying equipment on the characteristics of vessel handling
Client Risk Profile	A document which briefly outlines an OSRO's client base, giving details of areas of operation e.g. a client base consisting of purely sheltered/enclosed water requirements
Sheltered / inshore / coastal / ocean boom	Due to the myriad of type and descriptions the assessor will draw from the definitions from the boom manufacturers
Short notice Standard	Defined as less than 24 hrs The minimum requirements necessary to deliver Tier 2 service provision to UK ports, harbours, oil handling facilities and offshore installations





Temporary	This should be appropriate to the conditions in which the	
storage	storage is being deployed i.e. if at sea, storage must be	
	covered, sealed and secure to prevent secondary spills	

2. Abbreviations

Abbreviation	Full name	
BEIS	Dept. of Business, Enterprise and Industrial Strategy	
IAP	Incident Action Plan	
IOGP	International Association of Oil and Gas Producers	
IPIECA	International Petroleum Industry Environmental Conservation Association	
ITOPF	International Tanker Owners Pollution Federation	
MCA	Maritime and Coastguard Agency	
OPEP	Oil Pollution Emergency Plan	
OPRED Offshore Petroleum Regulator for Environment and		
	Decommissioning	
OSCP	Oil Spill Contingency Plan	
OSRO	Oil Spill Response Organisation	
RoOMP	Responder of Opportunity Management Plan	
SOP	Standard Operating Procedure	





3. Introduction and application

- **3.1.1** The Merchant Shipping (Oil Pollution Preparedness, Response and Cooperation Convention) Regulations 1998 (SI 1988 No.1056) (as amended) state that certain UK ports, harbours and oil-handling facilities¹ and all offshore installations on the UK Continental Shelf must submit OPRC Plans to the Maritime and Coastguard Agency (MCA) (in the case of ports, harbours and oil handling facilities) or the Department for Business, Energy and Industrial Strategy (in the case of offshore installations or oil handling facilities which are pipelines) for approval.
- **3.1.2** As part of the approvals process for ports, harbours and oil handling facilities to which the Regulations apply, the MCA require contingency plans to detail the contract they hold with an accredited third-party Tier 2 Marine Oil Spill Response Organisation (hereafter referred to as "OSRO").
- **3.1.3** BEIS similarly require responsible persons of offshore installations and oil handling facilities which are pipelines to detail in Oil Pollution Emergency Plans (OPEPs) any arrangements in place with an OSRO.
- **3.1.4** This document outlines the MCA and BEIS agreed minimum standard for OSROs. The Standard can only be applied by MCA or BEIS approved accreditation bodies in their accreditation of OSROs for contracts held with UK ports, harbours, oil handling facilities and offshore installations. In their approval of OSCPs and OPEPs, the MCA and BEIS will only recognise OSROs accredited under approved schemes which apply the Standard.

Nothing in this document supersedes or replaces requirements contained in MCA's OPRC Guidance for Ports or BEIS Guidance Notes for Preparing OPEPs.

3.2. Structure of the Standard

- **3.2.1** The Standard is in five parts, some parts relating to OSROs themselves and others to the Accrediting Bodies: -
- 1) **Capability Assessments** this section outlines requirements for OSROs to manage the collective risk posed by their contractual obligations and assesses whether they have

¹ For details on which ports and harbours the OPRC Regulations apply to, see: *The Merchant Shipping (Oil Pollution Preparedness, Response and Co-operation Convention) Regulations* 1998, Regulation 3: Application, http://www.legislation.gov.uk/uksi/1998/1056/regulation/3/made





applied for the correct categories of response for their client base. The requirements for Capability Assessments are outlined in Appendix 1.

- 2) Foundation Requirements this section lists the Foundation Requirements applicable to all OSROs. It requires OSROs to outline their overall capability (with some required information only applicable to specific response categories) and to ensure that this capability is supported by a reliable and competent organisational infrastructure. The Foundation Requirements are outlined in Appendix 2.
- 3) Category Specific Response Capability OSROs must provide details on their response capability for each category of response they propose to provide. Categories are areas of operation or type of operation (e.g. oil containment and recovery, aerial dispersant application etc). Qualification for any one of the response categories is the minimum level of capability required to conduct a response operation in that category.

The response categories are:

- 1. **Dispersant Application** marine and / or air deployed;
- 2. **Dispersant Application** offshore oil and gas activities;
- 3. **Sheltered/Enclosed Waters** ports, harbours, enclosed lochs etc.;
- 4. Coastal and Large Estuary exposed shorelines, large estuaries etc.;
- 5. Offshore waters all unsheltered waters:
- 6. **Offshore Oil and Gas Activities (including pipelines)** locations arising from releases of oil into the sea during offshore oil and gas activities; and
- **7. Shoreline Clean Up** applicable to inter-tidal zones and includes all shoreline types

OSRO's may wish to meet the standard in either a single category or multiple categories. Capability may be owned or contracted, both of which are subject to meeting the foundation requirements and, if applicable, the category specific capability requirements.

The minimum entry requirements for each defined category of response are detailed in Appendix 3.

4) **Accreditation Process Requirements** – this section details the checks which must be made by Accrediting Bodies when conducting accreditations/audits. The Requirements for the Accreditation Process can be found in Appendix 4a.





5) **Requirements for Accrediting Bodies** – these are the minimum requirements for the Accrediting Bodies themselves, which must be met for any organisation wishing to be approved. The Requirements for Accrediting Bodies can be found in Appendix 4b.

3.3. Accreditation process

- **3.3.1** Accrediting Bodies who intend for their schemes to be recognised by the MCA and BEIS must apply the specific standards framework described in this document in their accreditations and meet the requirements outlined in Appendices 4a and 4b. The accreditation process will conform to the following format:
 - Accreditation will run for a three-year period, with a grace period of 3 months for re-accreditation:
 - Accreditation renewal dates will remain the same, the day accreditation was originally achieved, with a leeway of three months either side of that date to be re-accredited. For example, if accreditation is awarded on 31st March 2019, renewal audit can take place between 1st January 2022 and 30th June 2022, but the date of renewal will remain the 31st of March 2022;
 - At least once every three years the accreditation body, or qualified observer (e.g. MCA Counter Pollution and Salvage Officer or OPRED Inspector) will observe an actual spill response or practical exercise deployment reflecting the OSRO's Capability Statement. The exercise or actual spill response will not necessarily have to demonstrate every aspect of an OSRO's capability; this may not be practical or appropriate where an OSRO is accredited in more than one category. Instead, the exercise or actual spill response should demonstrate that the OSRO can apply the equipment, techniques and strategies appropriate to the scenario in question within agreed timeframes (e.g. MCA/BEIS requirements or contractual requirements), that personnel have the required level of knowledge, skill and professionalism and that the deployment is managed through effective command and control structures, good communication and demonstration of good health and safety practices; and
 - If the observed exercise is being conducted on behalf of a port as a Tier 2 Mobilisation Exercise, additional minimum requirements should be met. Please refer to Appendix 9.

3.3.2 Exercise or actual response in lieu of certain audit checks

3.3.2.1 Exercises or actual incident response, attended by a suitably qualified auditor, may preclude the need for *certain* scheduled audit checks, providing the exercise or response in question effectively demonstrates the relevant components of the Standard. For example, an actual mobilisation for an offshore containment and





recovery effort may effectively demonstrate not only the minimum requirements for that response category, but also a competent organisational infrastructure in terms of reliable logistics, staff knowledge and competence and established procedures (e.g. for health and safety).

3.4. Interim Return

3.4.1 The OSRO is to submit an Interim Return to the accreditation body if any significant changes to the OSRO's Capability Statement have arisen from changes to risk profile and client base since the last accreditation/re-accreditation. A 'significant change' would be defined as a change in client base which has required a substantial adjustment of resourcing levels or the way in which the services are delivered. This could require, for example, an application for accreditation for another category of response. Details should be given of the change in client base and any corresponding adjustment to capability should be detailed. The accrediting body has the right to carry out an interim assessment based upon any aspect of the Interim Return.

3.5. Complaints

3.5.1 Complaints regarding the accreditation process, which have not been resolved via the Accrediting Bodies own complaints procedure, should be made in writing to the MCA Counter Pollution and Salvage Branch at:

Bay 2/2 Spring Place 105 Commercial Road Southampton SO15 1EG

Or by email at: ukresponderstandard@mcga.gov.uk

The MCA will follow its corporate complaints handling procedure when complaints are received. See https://www.gov.uk/government/organisations/maritime-and-coastguard-agency/about/complaints-procedure





Appendix 1 – Capability Assessments

A.1.1 OSROs must be able to demonstrate that they have in place, and use, a procedure to review their capability against the specific risks and scenarios detailed in each of their clients' OSCP/OPEPs. This procedure will provide confirmation to the client of the effectiveness of the OSROs capability and assurance of the response being commensurate with any Service Level Agreement between OSRO and client. Ultimately the decision, and responsibility, in selecting an appropriate OSRO rests with the client, however, they should be equipped to make that decision with an accurate and comprehensive picture of the OSRO's capability and their ability to meet the client's specific risks.

A.1.2 An OSRO would, however, be precluded from taking on a client whose requirement involves operations in a response category the OSRO has not applied and been accredited for. To demonstrate this has not taken place, OSROs must produce a Client Risk Profile for review by the auditor. The 'Risk Profile' is a broad (but brief) overview of the OSRO's client base and their requirements i.e. areas of operation and/or type of operation. For example, an OSRO might state that their client base consists of ports whose jurisdictions include both coastal/large estuarine, sheltered/enclosed waters and shorelines, providing examples of these clients. The auditor will then be able to judge whether accreditation for the appropriate response categories has been applied for and achieved by the OSRO.

A.1.3 The Standard also requires OSRO's to produce their own overarching risk assessment, demonstrating how they can meet their obligations, if they have multiple clients, when faced with two call outs simultaneously. Geographic threat should also be considered, for instance, if an OSRO holds contracts with several clients concentrated in a geographic area. It should be borne in mind that in this scenario a relatively small spill could impact a wide area. In this scenario more than two clients may expect a response. OSROs must demonstrate that they have considered this and have taken steps to both establish contingency plans and manage client expectations. This could be, for example:

- A procedure for resource allocation e.g. a first come first served system whereby every client has access to a percentage of what is available at the time they call. This procedure and the likely availability of resources in a multiple call out scenario should be made clear to all current and prospective clients;
- Memorandums of Agreement (MOAs) with other OSROs to provide mutual assistance;
- A procedure for scaling up capability e.g. by pulling non-specialist staff from other parts of the business; or





- A procedure for requesting assistance from the MCA (where the required capability is in place). It should be noted that this assistance will be chargeable to the requesting organisation. If costs are being passed on to a client, i.e. a port or polluter, this should be made clear to them.
- **A.1.4** Maintaining and renewing accredited status will depend on an OSRO being able to continue to deliver against their Capability Statement, the minimum Category Specific Requirements and their Client Risk Profile. Accrediting Bodies may review an OSRO's Client Risk Profile or specific contractual obligations as a method of verification.
- **A.1.5** OSROs should be able to demonstrate, during accreditation renewal, that they have maintained relevancy by incorporating aby new technology, response techniques and/or procedures in line with international best practice.





Appendix 2 – Foundation Requirements

A.2.1 This section lists the Foundation Requirements applicable to all OSROs. It requires OSROs to outline their overall capability (with some required information only applicable to specific categories) and to demonstrate that this capability is supported by a reliable and competent organisational infrastructure.

A.2.2 Capability Statement

OSRO's must detail their overall capability in a Capability Statement. Certain details are only required if the response category in question has been applied for.

This should detail, for each applicable item, as a minimum:

A.2.2.1 Organisation overview

- a. The category(s) of service provision(s) being applied for. Please also include any other specialist types of marine response capability e.g. aerial surveillance/verification, modelling, fire boom for in-situ burning, subsea dispersant injection, wildlife rehabilitation;
- b. The number of persons available at each level. This must include as a minimum:

Role title (or equivalents)	Description		
Technical Advisor	Person present in response room assisting the client in planning and coordinating the response. Will also liaise with and direct responders on scene		
Response Manager/On Scene Commander	Person responsible for overseeing on site operations, including conducting dynamic risk assessments and ensuring health and safety requirements are observed and maintained		
Supervisors/Team Leaders	Those in charge of small teams during operations		
Marine/Shoreline Operators	Those tasked with deploying equipment		

c. Any response mobilisation times specified under contract or internal policy, e.g. call out time, mobilisation times, activation of subcontractors etc.

A.2.2.2 Aerial dispersant categories





- a. The location, amount and type of dispersant stock available (must be a dispersant on the Marine Management Organisation (MMO) approved list at the time of purchase and proof of the date of purchase should be retained as evidence of this).²
- b. The number of aerial platforms, type and routine operational base location of all aircraft available for dispersant application;
- c. Certification (from the Civil Aviation Authority) for each aircraft available to ensure that they are legally permitted fly with modifications to carry and spray dispersant in UK airspace;
- d. The dispersant load capacity and flight range of each spraying aircraft;
- e. The system for dispersant delivery, including the range, swath and rate of delivery as well as the droplet size. The spraying altitude should also be detailed;
- Standard operating procedures for conducting aerial spraying operations;
 and
- g. The method(s) and capability for detecting and monitoring dispersant application effectiveness.³

A.2.2.3 Vessel mounted dispersant categories

- a. Appropriate certification/coding for any vessels, owned or under contract, so that they are permitted to operate in UK waters within safe manning regulations, or, for vessels of opportunity, an established procedure for ensuring that appropriate certification/coding is in place;
- b. The location, amount and type of dispersant stock available (must be a dispersant on the Marine Management Organisation (MMO) approved list at the time of purchase and proof of the date of purchase should be retained as evidence of this);⁴
- c. The number of vessel mounted dispersant application systems;
- d. Standard operating procedures describing the operational methods for coordinating at sea dispersant operations;

² Marine Management Organisation (MMO), 2014, *Approved oil spill treatment products*, https://www.gov.uk/government/publications/approved-oil-spill-treatment-products

³ For example, the Special Monitoring of Applied Response Technologies (SMART) advocated by IPEICA. For more information see: https://response.restoration.noaa.gov/smart or https://response.restoration.noaa.gov/smart or https://www.oilspillresponseproject.org/wp-content/uploads/2016/02/JIP-4-Surface-dispersant-effectiveness.pdf

⁴ Marine Management Organisation (MMO), 2014, *Approved oil spill treatment products*, https://www.gov.uk/government/publications/approved-oil-spill-treatment-products





- e. The method(s) and capability for detecting and monitoring dispersant application effectiveness;⁵ and
- f. Where any of the above is sub-contracted to meet the Capability Statement, details of the subcontractor.

A.2.2.4 Sheltered, coastal, offshore waters and/or vessel mounted dispersant spraying operations

- a. Appropriate certification/coding for any vessels, owned or under contract, so that they are permitted to operate in UK waters within safe manning regulations, or, for vessels of opportunity, an established procedure for ensuring that appropriate certification/coding is in place;
- b. The amount of containment boom available and its type e.g. sheltered water, coastal or offshore;
- c. The number of oil recovery skimmers and their suitability against different oil viscosities, as per Table 1 in the International Tanker Owners Pollution Federation's Technical Information Paper *Use of Skimmers in Oil Pollution Response;*⁶
- d. The total temporary storage capability or details of any policy for clients to provide this; and
- e. Where any of the above is sub-contracted to meet the Capability Statement, details of the subcontractor.

A.2.2.5 Offshore oil and gas activities

a. A description of the inventory of oil spill response resources (including dispersants and aerial surveillance/dispersant application resources) available for use to implement the oil spill response strategies detailed in client OPEPs.

A.2.2.6 Shoreline clean up

- a. Any limitations on the types of shorelines the OSRO can respond to;
- b. The quantity of shore-sealing boom the OSRO has access to;

⁵ For example, the Special Monitoring of Applied Response Technologies (SMART) advocated by IPEICA. For more information see: https://response.restoration.noaa.gov/smart or https://www.oilspillresponseproject.org/wp-content/uploads/2016/02/JIP-4-Surface-dispersant-effectiveness.pdf

⁶ International Tanker Owners Pollution Federation (ITOPF), 2014, *Use of Skimmers in Oil Spill Response*, http://www.itopf.com/knowledge-resources/documents-guides/document/tip-5-use-of-skimmers-in-oil-pollution-response/





- c. Access arrangements to light craft to deploy shore sealing boom;
- d. The ability to lead SCAT assessments as per UK guidelines;⁷
- e. The ability to procure the necessary equipment at short notice and scale up as required, this would include PPE, pressure washers, temporary storage, manual cleaning equipment (e.g. shovels), transport and low pressure flushing equipment; and
- f. Any specialised beach cleaning equipment or logistical capability e.g. ATV's, drones, aerostats, wildlife rehabilitation equipment, vacuum systems and command posts.

A.2.3 Capability Matrix

A.2.3.1 OSRO's must complete a Capability Matrix, summarising the Capability Statement. Appendix 7 shows an example matrix. OSROs can use this template or provide other documents, such as published catalogues, which provide the same information in an easy to interpret format.

A.2.4 Alerting, activating and mobilisation to scene

A.2.4.1 OSROs must demonstrate that they have the procedures and infrastructure in place to deliver a 24hr emergency response service. This must include, as a minimum:

- a. Access to the personnel, equipment and logistics to deliver the services described in the Capability Statement. This must include dedicated logistics staff, sufficient warehouse lifting equipment and 24hr haulage arrangements;
- b. A duty roster system to ensure sufficient numbers of response staff are available at all times, i.e. 24/7, 365;
- c. A call out procedure for clients, available 24/7, 365; and
- d. A duty manager system to enable the coordination of a call out, 24/7, 365.

A.2.5 Response personnel selection and management

A.2.5.1 OSROs must demonstrate that they have processes in place to ensure their response staff are competent to perform their roles. This must include:

a. A programme of initial selection, training, fitness to work checks and continuous improvement for:

⁷ MCA, 2007, Shoreline clean-up assessment techniques (SCAT), https://www.gov.uk/government/publications/shoreline-clean-up-assessment-techniques-scat 15 | P a g e





- Technical Advisor,
- Response Manager,
- Supervisors/Team Leaders/Beachmasters,
- Marine Operators,
- Others as relevant to the Capability Statement;

This 'programme' should be a combination of organised courses relevant to the industry, legally required vocational qualifications (e.g. forklift driving, power boat operation etc.) and formalised in-house training. A formalised in-house induction should take place for any new starter, to ensure that the trainee is safe and competent to perform their role as equipment operator in the UK.

Continuous improvement would consist of additional formalised in-house or external training opportunities designed to develop the responder into a marine oil spill response specialist, so that they may progress from their entry level role. This could include, but is not restricted to, training on equipment use and maintenance, training in oil spill response techniques, development of technical knowledge (maintaining relevancy) and development of management/leadership/training ability.

- b. A programme of training and exercises in place to meet the Capability Statement and a process to review lessons learned and learning processes;
- Fitness to work checks to guarantee the ability of the workforce to deliver services in the range of environments in which they are expected to be deployed; and
- d. Procedures in place to ensure the health and wellbeing of their response personnel.

A.2.6 Equipment readiness

A.2.6.1 OSROs must have in place the procedures and infrastructure to ensure the operational readiness of their equipment. This must include:

- a. A suitable storage location for the equipment that provides for security, ease of access and protection of the equipment; and
- b. A preventative planned maintenance programme to ensure the legal, safe and reliable operation of the equipment specified in the Capability Statement.





A.2.7 Operations

A.2.7.1 OSROs must have a reliable and competent organisational infrastructure to ensure the effective and safe delivery of their services. This must include

- a. Managers and supervisors who have a thorough understanding of relevant oil spill response strategies, including the advantages, disadvantages and risks of each response strategy;
- b. Supervisors and operators who have a thorough understanding of the tactical considerations for the response capabilities described in the capability statement;
- c. Risk assessments for all response activities covered in the Capability Statement:
- d. An operational process of safety management e.g. toolbox talks, time outs;
- e. A recognised health and safety standard;
- f. A set of standard operating procedures, relevant to the Capability Statement, that emphasise safe operations;
- g. Managers and supervisors who can demonstrate a thorough understanding of the UK's National Contingency Plan: A strategic overview for responses to marine pollution from shipping and offshore installations (NCP) and of relevant response agencies;⁸
- h. The ability to integrate into co-ordinated response structures;
- i. Procedures for resource management e.g. record keeping, equipment usage;
- j. A response management procedure in place that produces an Incident Action Plan for on water and/or shoreline operations. See Appendix 5 for minimum content; and
- k. Managers and supervisors competent to instruct responders of opportunity, who may include crews on client vessels or vessels of opportunity, port staff or local authority staff.

A.2.8 Audit

A.2.8.1 OSROs should have review processes in please to guarantee the quality of the services being provided. This should include, as a minimum:

⁸ MCA, 2014, National Contingency Plan: A strategic overview for responses to marine pollution from shipping and offshore installations (NCP), https://www.gov.uk/government/publications/national-contingency-planncp





- a. A process of internal audit/review that provides quality assurance for the services being delivered;
- b. Where sub-contracted services are utilised to meet the Capability Statement, a programme to provide assurance of service delivery to internal management and accreditor; and
- c. Assurance that post incident and exercise reports are conducted, with evidence that learning points are captured, tracked, shared and acted upon appropriately. These should be submitted as annual returns to the accreditation body.

For clarity, the above foundation requirements apply to directly operated and sub-contracted services.

A.2.9 Business Continuity

A.2.9.1 OSRO's must ensure that they have planned and prepared for crises which may affect service delivery, as a minimum this should include:

- a. A business continuity plan which:
 - Identifies 'crises' which could affect service delivery e.g. warehouse fire, mass staff absence;
 - Identifies steps taken to mitigate those hazards e.g. fire prevention/control systems and/or procedures;
 - Identifies contingencies or workarounds to maintain service delivery (this could be an MoA); and
 - Outlines a procedure and communications plan to be applied in the event of a crisis which affects service delivery.





Appendix 3 - Qualifying entry requirements for response categories

This section contains the **entry level requirements** to be met by a prospective OSROs in either single or multiple categories applied for.

A.3.1 Items common to all response categories

A.3.1.1 PPE

PPE availability and resupply relevant to the response categories applied for, e.g. lifejackets, hardhats, respirators and gas detection equipment.

A.3.1.2 Logistics

Logistical services to support the delivery the category applied for including: transportation communications, storage, maintenance, repair and demobilisation.

A.3.2 Items specific to the response category applied for

Listed below are the minimum qualifying entry level capability requirements for **each response category** applied for.

A.3.2.1 Dispersant application

Vessel mounted and/or aerial:

Vessel mounted	Aerial		
 ✓ Two sets of recognised vessel-mounted dispersant spraying systems which can be verified to produce the correct droplet size and application rate to effectively disperse oil, as per international best practice guidance⁹ ✓ A stockpile of at least 5m3 of dispersant approved for use in the UK by the MMO at the time of 	 ✓ Dispersant spraying aircraft ✓ Dispersant control and oil spotting aircraft i.e. spotter plane ✓ Suitable airside facility to operate from 		

⁹ITOPF, *TIP 04: Use of Dispersants to treat oil spills*, 2014, http://www.itopf.com/knowledge-resources/document/tip-4-use-of-dispersants-to-treat-oil-spills/





- purchase (proof of purchase date should be retained)¹⁰
- ✓ Vessel re-supply method statement/procedure (for example, arrangements with suppliers or other response organisations
- ✓ Dispersant effectiveness monitoring procedure and capacity¹¹ – as a minimum, this should be an aerial platform with trained observers
- purchase (proof of purchase should be retained)12
- ✓ Means to apply dispersant in the correct droplet size and application rate to effectively disperse oil as per international best practice guidance¹³
- ✓ Dispersant effectiveness monitoring procedure¹⁴ and capacity – as a minimum this should be an aerial platform with trained observers.

Must have staff or guaranteed contracted access to persons sufficient to deploy the equipment specified. Responders must have the skills and experience to supervise the application, operate the equipment and monitor the dispersant's effectiveness. Responders, Supervisors and Response Managers required to work on water must have basic seamanship skills appropriate to the area of operation.

Staff must be competent to instruct hired vessel crews, should additional contracted vessels be required, in the safe operation of the oil spill equipment. This should include the completion of a risk assessment.

A.3.2.2 Dispersant application – Offshore oil and gas

Definition:- With specific regard to the application of dispersant for offshore oil and gas activities, the OSRO must be able to supply the dispersant, application equipment, trained personnel and logistical support as detailed in their Capability Statement and appropriate to the requirements of their offshore oil and gas client(s). The following minimum standards must apply to the application of dispersant for offshore oil and gas activities:

Vessel mounted and/or aerial:

Vessel mounted		Aerial					
	✓	Access	to	recognised	vessel	✓	Access to a test spray aircraft
		mounted	dispe	rsant spray eq	uipment		

¹⁰ Marine Management Organisation, *Approved oil spill treatment products*, https://www.gov.uk/government/publications/approved-oil-spill-treatment-products, 2014

¹¹ For example, the Special Monitoring of Applied Response Technologies (SMART) advocated by IPEICA. For more information see: https://response.restoration.noaa.gov/smart or http://www.oilspillresponseproject.org/wp-content/uploads/2016/02/JIP-4-Surface-dispersanteffectiveness.pdf, 2014

¹² Marine Management Organisation, Approved oil spill treatment products, https://www.gov.uk/government/publications/approved-oil-spill-treatment-products, 2014 13 Ibid

¹⁴ Ibid





- which can be verified to produce the correct droplet size and application rate to effectively disperse oil, as per international best practice guidance¹⁵
- Means to re-supply each dispersant spraying operation at a rate commensurate with a large scale dispersant application programme
- ✓ Immediate access to:
 - Communications, e.g. radios, telephones.
 - Safety equipment, e.g. gas detection, lifejackets
- ✓ Dispersant effectiveness monitoring procedure and capacity¹⁶ – as a minimum, this should be an aerial platform with trained observers
- ✓ Access to a dispersant stockpile of sufficient size to treat an ongoing release of oil from an offshore installation which has been approved for use in the UK by the MMO at the time of purchase (proof of purchase date should be retained)¹⁷

- ✓ Access to an aircraft with a largescale dispersant application capability commensurate with offshore oil and gas requirements
- ✓ Means to apply dispersant in the correct droplet size and application rate to effectively disperse oil as per international best practice guidance¹⁸
- ✓ Access to dispersant control and oil spotting aircraft i.e. spotter plane
- Access to suitable operational airbase facilities to accommodate and resupply dispersant application aircraft
- Capability to apply a dispersant test spray within 6 hours from time of mobilisation request
- ✓ Capability to commence dispersant application programme to the limits of the UK Exclusive Economic Zone/Continental Shelf
- Capability to re-supply aerial dispersant spraying operation at a rate commensurate with a large scale ongoing dispersant application programme
- ✓ Dispersant effectiveness monitoring procedure and capacity¹⁹ – as a minimum, this should be an aerial platform with trained observers
- ✓ Access to a dispersant stockpile of sufficient size to treat an ongoing release of oil from an offshore installation and consisting of products which have been approved for use in the UK by the MMO at the time of

¹⁵ITOPF, *TIP 04: Use of Dispersants to treat oil spills*, 2014, http://www.itopf.com/knowledge-resources/document/tip-4-use-of-dispersants-to-treat-oil-spills/

¹⁶ For example, the Special Monitoring of Applied Response Technologies (SMART) advocated by IPEICA. For more information see: https://response.restoration.noaa.gov/smart or https://response.restoration.noaa.gov/smart or https://www.oilspillresponseproject.org/wp-content/uploads/2016/02/JIP-4-Surface-dispersant-effectiveness.pdf

¹⁷ Marine Management Organisation, *Approved oil spill treatment products*, <u>https://www.gov.uk/government/publications/approved-oil-spill-treatment-products</u>, 2014

¹⁹ Ibid





purchase (proof of purchase date
should be retained) ²⁰

Minimum Staffing

Must have staff or guaranteed contracted access to persons sufficient to deploy the equipment specified. Responders must have the skills and experience to both supervise the application, operate the equipment and monitor the dispersant's effectiveness.

Responders, Supervisors and Response Managers required to work on water must have basic seamanship skills appropriate to the area of operation.

Staff must be competent to instruct hired vessel crews, should additional contracted vessels be required, in the safe operation of the oil spill equipment. This should include the completion of a risk assessment.

A.3.2.3 Sheltered / Enclosed Waters

Definition: - would include protected ports and harbours, sheltered parts of larger estuaries.

Minimum Equipment

Must have owned or contracted access to oil spill response equipment and logistics to deal with marine oil spills: -

Containment and Recovery

- √ 200 metres of containment boom or a containment system suitable for inshore waters, with a level of redundancy i.e. spare boom sections, repair kits, spare reels;
- ✓ Access to workboats suitable for deployment of sheltered water booms and recovery devices. This could be an owned capability, a procedure to contract or a contractual term or condition for clients to supply;
- ✓ Skimmers to deal with a range of oil viscosities, suitable for sheltered enclosed waters. A level of redundancy should be maintained for each viscosity type, e.g. two brush skimmers, two oleophilic disk skimmers. Skimmer capability must be verified, i.e. with recognised certification;
- ✓ Temporary storage capability of oil oily/water recovered on water up to 30m³; or
- ✓ Arrangements/procedures for clients to provide vessel-based storage; and
- ✓ Arrangements/procedures for bulk oil removal capability of oil recovered to access point ashore.

Minimum Staffing

Must have staff or guaranteed contracted access to persons sufficient to deploy the equipment specified. Responders must have the skills and experience to both supervise the deployment and operate the equipment.

²⁰ Marine Management Organisation, *Approved oil spill treatment products*, https://www.gov.uk/government/publications/approved-oil-spill-treatment-products, 2014





Responders, Supervisors and Response Managers required to work on water must have basic seamanship skills appropriate to the area of operation.

Staff must be competent to instruct hired vessel crews, should additional contracted vessels be required, in the safe operation of the oil spill equipment. This should include the completion of a risk assessment.

A.3.2.4 Coastal and Large Estuary

Definition: - would include partially protected ports and harbours, large lakes, lochs, partially exposed shorelines, sheltered coastal zones and large estuaries.

Minimum Equipment

Must have owned or contracted access to oil spill response equipment and logistics to deal with marine oil spills:

Containment and Recovery

- √ 300 metres of containment boom or a containment system suitable for coastal waters, with a level of redundancy i.e. spare boom sections, repair kits, spare reels;
- ✓ Skimmers to deal with a range of oil viscosities, suitable for coastal areas or large estuaries. A level of redundancy should be maintained for each viscosity type, e.g. two brush skimmers, two oleophilic disk skimmers. Skimmer capability must be verified, i.e. with recognised certification;
- ✓ Temporary storage capability of oil recovered on water up to 30m³; or
- ✓ Arrangements or policy for clients to provide vessel-based storage (e.g. a bunker barge);
- ✓ Arrangements/procedures for bulk oil removal capability of oil recovered to access point ashore; and
- ✓ Access to workboats suitable for deployment of coastal and large estuary booms and recovery devices. This could be an owned capability, a procedure to contract or a contractual term or condition for clients to supply.

Minimum Staffing

Must have staff or guaranteed contracted access to persons sufficient to deploy the equipment specified, who can assemble at a response staging area within the timeframe stipulated in every clients' OPEP/OPRC Plan. Responders must have the skills and experience to both supervise the deployment and operate the equipment. Marine Responders, Supervisors and Response Managers required to work on water must have basic seamanship skills appropriate to the area of operation.

Staff must be competent to instruct hired vessel crews, should additional contracted vessels be required, in the safe operation of the oil spill equipment. This should include the completion of a risk assessment.





A.3.2.5 Offshore Waters

Definition: - All unsheltered waters

Minimum Equipment

Must have owned or contracted access to oil spill response equipment and logistics to deal with marine oil spills: -

Containment and Recovery

- √ 300 metres of containment boom or a containment system suitable for offshore waters, with a level of redundancy i.e. spare sections, repair kits
- ✓ Skimmers to deal with a range of oil viscosities, suitable for coastal areas or large estuaries. A level of redundancy should be maintained for each viscosity type, e.g. two brush skimmers, two oleophilic disk skimmers. Skimmer capability must be verified, i.e. with recognised certification.
- ✓ Minimum temporary storage capability of oil/water mix recovered of 50m³; or
- ✓ Owned or contracted vessel-based storage capability; or
- ✓ Arrangements for the client to provide this; and
- ✓ Access to workboats suitable for deployment of coastal and large estuary booms and recovery devices. This could be an owned capability, a procedure to contract or a contractual term or condition for clients to supply;

Spill surveillance would not necessarily be solely the responsibility of the OSRO and could be provided by the client or the MCA – this will depend on the requirements of a clients' OSCP or ad-hoc response contract.

Minimum Staffing

Must have staff or guaranteed contracted access to persons sufficient to deploy the equipment specified, who can assemble at a response staging area within the response time stipulated in every clients' OSCP. Responders to have skills and experience to both supervise the deployment and operate the equipment.

Marine Responders, Supervisors and Response Managers required to work on water must have basic seamanship skills appropriate to the area of operation.

Staff must be competent to instruct hired vessel crews, should additional contracted vessels be required, in the safe operation of the oil spill equipment. This should include the completion of a risk assessment.

A.3.2.6 Offshore Oil and Gas installation activities (including pipelines)

Definition: - For any OSRO wishing to hold a Tier 2 contract with an offshore operator, for oil and gas operations taking place UK Continental Shelf.

Minimum Equipment





Aerial Surveillance – Oil Spill Verification

- Capability for verification aircraft to be on site within four hours from time of mobilisation request. As a minimum, the following should be available on the verification aircraft:
 - 1. Marine VHF radio:
 - 2. Digital still and video capabilities;
 - 3. Satellite telephone;
 - 4. Suitable navigation equipment including a Global Positioning System (GPS) to ensure the accurate display of search areas and dispersant spray patterns and to control the activities of other resources during counter-pollution operations; and
 - 5. Suitably trained and experienced personnel to ensure an adequate, continuous response capability.

Aerial Surveillance – Oil Spill Quantification

- Capability for quantification aircraft to be on site within six hours from time of mobilisation request. As a minimum, the following should be available on the quantification aircraft:
 - a) Marine VHF radio:
 - b) Digital still and video capabilities
 - c) Infrared imaging equipment;
 - d) Ultra violet imaging equipment;
 - e) Satellite telephone:
 - f) Suitable navigation equipment including a Global Positioning System (GPS) to ensure the accurate display of search areas and dispersant spray patterns and to control the activities of other resources during counter-pollution operations; and
 - g) Suitably trained and experienced personnel to ensure an adequate, continuous response capability.

Containment and Recovery

- ✓ Access to sufficient oil spill response equipment to implement the oil spill response strategies detailed in clients OPEPs;
- ✓ Capability to transport, deploy to site and operate all oil spill response equipment; and
- ✓ Measures to maintain all oil spill response equipment in an operable condition.

Minimum Staffing

Access to persons sufficient to transport, deploy and operate the equipment specified within the timescale stipulated in clients OPEPs/OPRC plans. All responders to be trained and competent in the operation and supervision of the oil spill response equipment that may be mobilised.

Marine Responders, Supervisors and Response Managers required to work on water must have basic seamanship skills appropriate to the area of operation.

A.3.2.7 Shoreline clean up

Definition: - All intertidal shoreline types





Minimum Equipment

The principle prerequisites are the strategic and tactical knowledge required, the levels of supervision and personnel, the ability to operate a Shoreline Clean-up Techniques (SCAT) programme and to lead a response after developing and following an Incident Action Plan, as defined in Appendix 8.

For more information on SCAT, see the UK SCAT Manual:

https://www.gov.uk/government/publications/shoreline-clean-up-assessment-techniques-scat

There are no minimum equipment levels specified for Shoreline Clean up, but it should be commensurate with shoreline impact risks highlighted by clients. Contractors should have ready access to necessary clean up equipment:

- ✓ Shore sealing boom and ancillaries;
- ✓ Light craft to deploy shore sealing boom;
- ✓ Shallow draft and/or vacuum skimmer systems, pumps and necessary ancillaries:
- ✓ All-terrain vehicles;
- ✓ PPE;
- ✓ Pressure washers;
- ✓ Pit liners;
- ✓ Shovels:
- ✓ Low pressure flushing systems

This equipment can be owned, hired or purchased at short notice (< 24 hrs) but access to it and the ability to scale up should be a verifiable.

Minimum Staffing

Contractors must be able to guarantee the availability of a sufficient number of personnel to deploy the equipment specified. Response personnel must have the skills and experience necessary to lead and supervise response operations where specialised techniques are employed.

Where small craft are used close to shore, staff should have the relevant seamanship skills and qualifications for these operations.





Appendix 4a Accreditation Process Requirements

- 1. Applications by OSROs for accreditation must include evidence that the OSRO can fulfil the basic requirements and the requirements of any specific category for which they are seeking accredited status.
- 2. Before accredited status can be granted, accreditation bodies must audit the base(s) and offices of the prospective OSROs, confirming that the stated capability of the OSRO exists.
- OSROs will need to prove their technical expertise and how this will be maintained. This will be achieved through face to face questioning of response personnel during the audit and a scrutinisation of internal training material and procedural documents.
- 4. During audits an OSRO's response requirements, as defined by their clients' collective risk, will be compared to their Capability Statement.
- 5. Upon accredited status being granted to an OSRO for the first time, a probationary period of six months must be observed. During this time, the accrediting body must observe an actual spill response or attend a practical exercise reflecting the OSROs' Capability Statement, for their accredited status to be upheld following the end of the probationary period. The exercise or actual spill response will not necessarily have to demonstrate every aspect of an OSRO's capability; this may not be practical or appropriate where an OSRO is accredited in more than one category. Instead, the exercise or actual spill response should demonstrate that the OSRO can apply the equipment, techniques and strategies appropriate to the scenario in question, that personnel have the required level of knowledge, skill and professionalism and finally that the deployment is managed through effective command and control structures, good communication and demonstration of good health and safety practices.
- 6. For re-accreditation to be issued, the accrediting body must observe an actual spill response or attend a practical exercise, reflecting the OSRO's Capability Statement within the three-year accreditation period, or three-month grace period. OSROs will be assessed on the appropriateness of their response to the scenario in question, including:
 - Timeliness of response against contractually agreed timeframes or OPRC Guidelines stated timeframe (6 hours)
 - Use of correct response techniques and equipment for the scenario in question.
 - Competent and safe deployment of the equipment.





Where an OSRO is participating in a wider exercise hosted by another organisation, this participation can be considered as long as the OSRO's own capability (in terms of personnel and equipment) is demonstrated.

Where an OSRO has a contracted capability as part of their Capability Statement this must be exercised, should it be required/appropriate under the exercise scenario.

7. OSRO's will have six months enact identified requirements. Failure to do so may result in accredited status being revoked, following consultation with the MCA and BEIS.





Appendix 4b Requirements for Accrediting Bodies

The following is a list of requirements by the MCA and BEIS for a body wishing to provide accreditation services.

- There must be no conflict of interest between the Accrediting Bodies and the OSRO industry. This must be demonstrated to the satisfaction of the MCA and BEIS.
- 2. The accrediting body will submit their proposed scheme of accreditation to the MCA and BEIS for approval. The scheme of accreditation must comply with the framework outlined in the Standard. Only approved systems will be acceptable.
- 3. The MCA's and BEIS's approval for accreditation bodies to deliver their proposed scheme will be formalised in a Memorandum of Agreement (MoA). This document will outline the requirements for the accreditation body to deliver accreditation under the Standard. It will be in the form of a contract and will be the same for all Accrediting Bodies wishing to deliver the Standard.
- 4. Fees for accreditation charged by the accreditation body are to be agreed with the MCA and BEIS.
- 5. The accrediting body must hold a recognised and in date quality management system e.g. ISO9001.
- 6. The auditor(s) chosen to perform the accreditations are to be approved by the MCA and BEIS; auditors' CV's should be submitted as part of submissions for scheme approval. New auditors' CV's should be submitted with annual returns. Auditors should be familiar with the marine oil spill response industry and have experience conducting audits. Follow up telephone interviews may be conducted with auditors to verify levels of knowledge and experience.
- 7. The accrediting body will report to the MCA and BEIS on all accreditations performed, including requirements fulfilled by the OSRO to meet the Standard. These reports are to be submitted as part of the annual returns.
- 8. The accreditation body must have in place a complaints procedure.
- 9. The accreditation body will report on general industry trends, as part of annual returns or annual scheme steering group meetings, pertaining to OSROs. This could include, but is not limited to:
 - Incidents involving UK OSROs; and
 - Major organisational developments, such as changes in specialisms and capability;





Appendix 5 Currently Approved Accrediting Bodies

HOLD - bodies need to be selected.





Appendix 6 Question Set

A.6.1 Introduction

Purpose of the question set

- **A.6.1.1** This question set is intended to allow the accreditation bodies to conduct a standardised scored assessment of the oil spill response capability of an oil spill response organisation (OSRO) to meet the MCA Standard.
- **A.6.1.2** The method as to how the data is obtained will be at the discretion of the accreditation bodies and can reflect their methodologies e.g. on-line, exercise observation, interviews, etc.

How is the assessment conducted?

- **A.6.1.3** It is anticipated that the assessment might be conducted within a maximum of a two-day review period. The process involves a question and answer session dealing with the topics and questions outlined in the assessment model. Each of the questions is graded:
 - 1= Meets the Standard although recommendations can still be issued
 - 2= Work needed to meet the Standard (to be completed within 6 months)
 - 3= Essential work required to meet Standard urgently time period to be set by the accreditor depending on the deficiency
 - N/A = Where an item is not applicable for example not in a Capability Statement or not a required capability under contractual or OPEP commitments
- **A.6.1.4** Success or failure is not determined by a total score the numbered grades are merely a key to enable a simple evaluation. The response OSRO must meet the requirements for each category of accreditation they are applying for or being reaccredited for, or, agree to rectify any deficiency within a time period determined by the accreditor, or, lose their accredited status.





A.6.2 Questions Set

A.6.2.1 Capability Statement

The OSRO has a level of capability commensurate to the potential threat posed by their contractual obligations

Item	Score	Comment
The OSRO has completed a Capability Statement in full, detailing capability for all Foundation Requirements and all categories of response they have applied to be accredited for		
The OSRO has completed a Client Risk Profile and has applied for and achieved accreditation in the response categories relevant to their client base		
The OSRO's observed capability aligns with their written Capability Statement		
The OSRO has in place and uses a process to assess the client specific response needs upon appointment and this ensures the client fully understands the deliverables of the OSRO		
For an OSRO with multiple OPEP/OSCP's and client requirements (perhaps within a close geographic area), there are means in place to respond to two incidents at the same time (this can be fulfilled with subcontracting arrangements and MOAs)		
The OSRO has considered a multiple call out scenario and there are procedures in place to manage these scenarios i.e. procedures for resource allocation and/or MOAs with other OSROs		
If the OSRO offers response on an ad-hoc basis, then they have in place a draft template contract e.g. BIMCO RESPONSECON		
Arrangements for insurance and liabilities are place between client and OSRO and these are documented and adequate to protect both parties		





A.6.2.2 Alerting, activating and mobilisation to scene

The OSRO has the procedures and resources in place to enable rapid mobilisation to the scene of an incident.

The Corto has the procedures and resources in place to chable rapid mobilisation to the secre of an incident.					
Item	Score	Comment			
The OSRO has access to the personnel, equipment and logistics to deliver the services as					
described in the Capability Statement. This includes dedicated logistics staff, sufficient					
warehouse lifting equipment, 24hr haulage arrangements and redundancy arrangements					
The OSRO has in place a duty roster system to ensure sufficient numbers of response staff					
are available at all times, 24/7, 365					
The OSRO has in place a call out procedure for clients, available 24/7, 365					
The OSRO has in place a duty manager system to enable the coordination of a call out, 24/7, 365					





A.6.2.3 Operations

The OSRO has a level of organisational expertise and established operational processes and procedures to deliver their services in the UK context.

	Saara	Comment
	Score	Comment
ers and supervisors have a thorough understanding of relevant oil spill response		
es, including the advantages, disadvantages and risks of each response strategy		
sors and operators have a thorough understanding of the tactical considerations for the		
e capabilities described in the Capability Statement		
RO has in place risk assessments for all response activities covered in the Capability		
ent		
RO has in place an operational process of safety management e.g. toolbox talks, time		
RO has in place a set of standard operating procedures, relevant to the Capability		
, , , , , , , , , , , , , , , , , , ,		
No buil demonstrate the definty to integrate into be ordinated response structures		
SRO can demonstrate procedures for resource management e.g. record keeping.		
· · · · · · · · · · · · · · · · · · ·		
RO has in place risk assessments for all response activities covered in the Capability		





A.6.2.4 Safety

Ensuring a safe and secure work environment at the depot and at the work site (worksite questions are specifically asked under the "Exercise" section).

Item	Score	Comment
The OSRO has attained a recognised health and safety standard, e.g. ISO 45001		
The OSRO can demonstrate an effective safety management policy and safe system of work. This must include a method to track lessons learnt from incidents, and near misses from its own operations		
The OSRO should demonstrate how it monitors key safety learnings from other's responses		
The OSRO has a Permit to Work system to control its operations		
The OSRO can demonstrate that it uses a system of risk assessments to adequately assess the safety risk of its operations		
The OSRO provides response personnel with appropriate PPE and working gear		
The OSRO can demonstrate a programme of safety training for its personnel.		
The OSRO can demonstrate that it maintains a safe, clean and tidy work place		
The OSRO can demonstrate that has gas monitoring and site entry protocols for operating in hazardous environments		
The OSRO can demonstrate that it stores materials, chemicals and equipment in a safe and secure manner		
The OSRO can demonstrate that it maintains safety equipment in accordance with required standards. e.g.		
• Forklifts		
Lifting equipment		
Life jackets		
• Vehicles		
Fire extinguishers		
• Cranes		





A.6.2.5 Response staff training and development

OSRO's should have in place structures and processes to ensure their staff have the necessary skills to personnel to permit safe, competent and effective response delivery.

Item	Score	Comment
The OSRO has in place a responder induction training programme for new starters to ensure they		
are safe to perform their role		
The OSRO can demonstrate the existence and use of a competency-based training system for the positions required in the standard		
•		
The OSRO can demonstrate an effective system of competence assessment and recording		
The OSRO can demonstrate a system to ensure that basic vocational and statutory training		
requirements are maintained in place at appropriate levels		
The OSRO can demonstrate the existence and use of training standards for staff to fulfil response		
roles, e.g.:		
Technical Advisor,		
Response Manager,		
 Supervisors/Team Leaders/Beachmasters, 		
Marine Operators,		
Others as relevant to the Capability Statement		
The OSRO can demonstrate the existence and use of an agreed training plan for all response staff		
in oil spill response technical subjects		
The OSRO can demonstrate the existence and use of an annual exercise planner to ensure staff		
are kept current in their response skills		
The OSRO can demonstrate the existence and use of a training planner for training contractor and		
subcontractor personnel if utilised		





Item	Score	Comment
The OSRO can demonstrate the existence of training records for contractors and subcontractors		
Responders have the knowledge (i.e. of response techniques, equipment maintenance and deployment etc.), skills and qualifications appropriate to their role (Technical Advisor, On-Scene Commander etc.) and appropriate to the categories of response the OSRO is being accredited for. This can be achieved via conversation/questioning of a random selection of a sample of personnel for each role or via exercise observation		
Supervisors/Team Leaders/ Beachmasters and Response Managers are competent to instruct and manage 'responders of opportunity'		





A.6.2.6 Practical Exercising

The OSRO is to demonstrate ability to perform response operations safely and effectively.

Item	Score	Comment
The OSRO demonstrates an effective briefing process prior to response operations including risk identification and mitigation measures		
The OSRO demonstrates the ability to correctly manage the working site, e.g. zoning, decontamination, first aid posts, command post, communications		
The OSRO demonstrates the correct selection of equipment for the scenario type and environmental conditions		
The OSRO staff use the equipment safely and effectively		
The OSRO demonstrates an effective process of supervision control over the operation		
The OSRO demonstrates an ability to debrief after the event and to capture lessons learnt		





A.6.2.7 Equipment and dispersant management

The provision of suitable, maintained oil spill response equipment capable of delivering all the required response strategies. The OSRO response equipment is fit for purpose to meet its operational requirements in terms of operating environment, oi type, response strategy and equipment quantity.

Item	Score	Comment
The OSRO pollution response equipment is maintained in good condition under the control of a functioning and managed planned maintenance system		
Equipment maintenance is recorded, and records are available		
Equipment defects and failures are recorded and monitored.		
Equipment lifting gear is inspected and coded		
Hydraulic hoses are subject to a management plan and are replaced in line with UK and EU legislation		
Response equipment is stored under suitable conditions		
Dispersant stock must be on the MMO approved list at the time of purchase. Proof of the date of purchase should be retained as evidence of this ²¹		
Dispersant stocks (both the liquid and the containers) are properly stored and are subject to a management plan for testing and replacement, in line with Marine Management Organisation requirements ²²		
Response equipment is stored in a 'response' ready mode		

²¹ Marine Management Organisation (MMO), 2014, *Approved oil spill treatment products*, https://www.gov.uk/government/publications/approved-oil-spill-treatment-products

²²See https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment data/file/307645/approval Ir448.pdf for details





A.6.2.8 Personnel

The timely provision of sufficient, experienced, trained and motivated personnel to deliver the required response output.

Item	Score	Comment
The OSRO can demonstrate it has guaranteed access to a trained team of responders or contractors to provide services as described in the capability statement		
The OSRO can demonstrate that there are sufficient trained personnel to meet the capability statement at all levels of response that they are likely to be engaged		
The OSRO can demonstrate that there is a duty roster system in use		
There is evidence of a Duty Manager system to provide response mobilisation		
There is evidence of welfare, health, and medical programmes to meet response needs as per the Capability Statement		





A.6.2.9 Infrastructure

The acquisition, development, management of all fixed, permanent buildings and structures, land, utilities and facility management services in support of oil spill response capabilities.

Itam	Coore	Commont
Item	Score	Comment
The OSRO has suitable and sufficient operational bases and office		
facilities to deliver its services as per the capability statement		
The OSRO has suitable and sufficient office and operational		
communications systems to deliver its response services		
The OSRO has suitable and sufficient warehousing and equipment		
storage facilities to deliver its response services		
The OSRO has suitable fire and security arrangements to protect		
facilities and assets		
The OSRO has access to suitable and sufficient responder work areas		
and changing facilities		
The OSRO has access to suitable workshop facilities to maintain		
equipment		
The OSRO has suitable and sufficient mobile communications		
capacity to manage a response in the field		
The OSRO has access to suitable and sufficient lifting and materials		
handling equipment to deliver its services		
The OSRO has access to suitable mobilisation links [road, sea and air]		
to deliver its services		
The OSRO has a functioning emergency operations centre to manage		
mobilisation of resources to a spill		





A.6.2.10 Category specific entry requirements

The following are only applicable if the OSRO has applied for accreditation in the category in question

5 7 11	1 1	5 7 1
Item	Score	Comment
For each category of response, the OSRO has ap minimum required level of resourcing and organism		
infrastructure is in place, as per Appendix 3	allorial	

A.6.2.11 Logistics

The planning and conduct of the operational movement of equipment and responders

Item	Score	Comment
The OSRO has access to suitable and sufficient transport arrangements to provide equipment logistics capability, or, has a policy for clients to provide this in part or fully		
The OSRO has response equipment packaged in a manner to facilitate ease of transportation		
The OSRO has a system of equipment packing lists, manifests and other supporting logistics documentation to permit rapid deployment of equipment to site		
The OSRO has identified suitable and sufficient response vessels to permit the deployment of marine response equipment or has a policy in place and arrangements for clients to provide this		





A.6.2.12 Audit

In the interest of continuous improvement and quality control, the OSRO can demonstrate the use of internal audit and review processes.

Item	Score	Comment
The OSRO has in place a process of internal audit / review that provides internal management and accreditor assurance their Capability Statement is being met		
Where sub-contracted services are utilised to meet the Capability Statement, the OSRO has in place a programme to provide assurance of service delivery to internal management and accreditor		
The OSRO can demonstrate that they ensure post incident and exercise reports are conducted, with evidence that learning points are captured, tracked, shared and acted upon appropriately. These should be submitted as annual returns to the accreditation body		





A.6.2.13 Business continuity

To ensure that OSROs have planned how to react to and continue to deliver services in crisis situations.

Item	Score	Comment
 The OSRO has in place a business continuity plan which: Identifies 'crises' which could affect service delivery e.g. warehouse fire, mass staff absence; Identifies steps taken to mitigate those hazards e.g. fire prevention/control systems and/or procedures; Identifies contingencies or workarounds to maintain service delivery (this could be an MOA); and Outlines a procedure and communications plan to be applied in the event of a crisis which affects service delivery. 		





Appendix 7: Capability Matrix Template

MCA Responder Standards Capability Matrix

Section 1 Essential detail

Category

Please state the categories that do not apply and add any specialist category e.g. aerial surveillance/verification, ISB, subsea dispersant injection, modelling.

Category of Service provision applied for	Yes / No
Aerial dispersant	
Sheltered enclosed waters	
Coastal / Large Estuary	
Offshore waters	
Shoreline clean up	
Offshore Oil and Gas: Marine	
Offshore Oil and Gas: Aerial	
Dispersant	
Other, please enter:-	

Numbers of personnel UK based available to response to UK location

Please insert the number of personnel that can be assigned to the roles outlined below and that are UK based ready for response on a notification system within 12 hrs to a UK mainland location. If a person can perform more than one role then they can be entered twice. However, the total column should reflect the total without double counting. Indicate sub-contractor's numbers in brackets.

	Number of persons competent to perform the roles			
	Manager	Supervisor (beach master)	Operator	Totals
Aerial				
dispersant				
Sheltered				
enclosed				
waters				
Coastal/				
large Istuary				





Offshore		
waters		
Shoreline		
clean up		

Response procedures and command and control arrangements

24 /7 capability call out telephone number	
Call failure contingency method	
Planned time of call back from Duty	
Manager	
Response team planned notification time	
Response team time to equipment depot	
Type of Incident Command System	
operated internally	

Response equipment capability (name plate)

Please enter the name plate capability of the equipment category available in the UK that is available directly or under contract to you, and is available for mobilisation within 24 hrs (i.e. not assigned to a client's location).

Note: When assessing capability, the assessor will recognise that name plate capability will need to be downgraded to reflect expected field performance.

Where any of the above is sub-contracted to meet the Capability Statement, details of the OSRO should be outlined.

Туре	Description
Aerial Dispersant	
 The location, amount and type of dispersant stock available; 	
 The number of aerial platforms for dispersant application and their normal location(s); 	
 The capacity of each aircraft for dispersant; 	
 The system for dispersant delivery, the rate of delivery and droplet size, as well as spraying altitude; The capacity for detection and monitoring of dispersant effectiveness; 	
Vessel mounted dispersant	





 Type, manufacturer application rate, droplet size and number of spray systems; The location, amount and type of dispersant stock available; The capacity for detection and monitoring of dispersant 	
effectiveness;	
Vessels (if owned)	
Appropriate Certification/coding for any vessels, so that they are permitted to	
operate in UK waters within safe manning	
regulations,	
Boom	
Types	
 Area of use for each type 	
 Dimensions for each type 	
 Number of units for each type 	
Skimmers	
Types	
 Nameplate recovery for each type 	
 Area of use for each type 	
 Number of units for each type 	
Aerial verification capability	
Capacity for oil spill modelling	
Temporary Storage	
• Types	
 Nameplate capacity for each type 	
 Area of use for each type 	
 Number of units for each type 	
Ancillary equipment (e.g. power packs)	
Safety equipment supplied to personnel	
(e.g. lifejackets, respirators, gas detectors, hard hats)	
Specialist equipment	
- I	I and the second

Shoreline clean up

Capability	Description
Ability to perform SCAT assessments	
(qualified personnel and any specialist	
equipment or software)	
Any specialist shoreline response clean-up	
equipment: - please list or append file:	





Procedures to manage	
volunteers/responders of opportunity	

Logistics

Please list dedicated or contracted logistics capability e.g. lorries, 4x4's command posts, required to mobilise and utilise capability

Item	Description

Other key assets or contracted services

Please list other relevant key assets owned or on contract to you and available within 24 hrs, e.g. surveillance/verification aircraft not previously mentioned

Item	Description





Appendix 8: Incident Action Plan Template Requirements

Applicable only if an OSRO is required to manage the incident on behalf of the client; in most cases the client will already have a contingency plan in place, detailed in their OPEP/OPRC Plan, which will describe how the OSRO will integrate into the client's response structure.

The purpose of the Incident Action Plan is to provide the response organisation with a comprehensive documented plan of the work to be done (with supporting information) over an agreed forthcoming operational period. The plan would normally be prepared by the incident management team. It should be presented in a way that allows easy distribution to the field supervisors for implementation.

Content

The plan must contain, but is not limited to, sections covering: (source: IPIECA-IOGP Incident management system for the oil and gas industry 2014)

- Incident objectives
- Response strategies and tactical work assignments
- Organisation chart
- Waste management plan
- Medical Plan
- Health and Safety Plan
- Communications Plan with incident radio details
- Maps, photographs or other graphics (e.g. oil trajectories)
- Resources

Additional content for Shoreline Operations

Responder of Opportunity Management Plan (RoOMP)

The content of the RoOMP should be consistent with the IPIECA-IOGP document Volunteer Management 2015 or later editions and contain sections on:-

- Selection of tasks for responders of opportunity
- Registration
- Induction and training
- Supervision
- Operational briefing (which should include decontamination and waste management)
- Resourcing
- Tasking documents (e.g. IAP, SOP's)





- o Health, safety and wellbeing
- o Liaison





Appendix 9: Tier 2 Mobilisation Exercise Requirements

- **9.1** Applicable if the exercise being observed by the auditor or other qualified person is a port or harbour Tier 2 Mobilisation exercise. The observer should expect to witness, from the Tier 2 contractor, as a minimum:
 - Input by the Tier 2 contractor into the exercise planning document.
 - A test of the notification and mobilisation procedures for the Tier 2 contractor;
 - Timely mobilisation and arrival at port/ harbour within 6 hours (or as agreed by the MCA) if a real-time test is being conducted, or else pre-mobilisation and exercise time compression;
 - Mobilisation of appropriate Tier 2 resources (both in equipment and personnel) commensurate to the exercise scenario as agreed with the port or harbour;
 - Participation in a briefing upon arrival, led by the port or harbour, followed by a health and safety / toolbox brief for the Tier 2 contractor, again, led by the port or harbour;
 - Provision of response options advice from the Tier 2 contractor to the Port or Harbour Incident Commander and briefing on proposed actions to be taken;
 - Tier 2 contractor input / presence in the Incident Management Team, if formed;
 - Competent demonstration of Tier 2 equipment deployment and recovery, to the satisfaction of the harbour master/ designated Incident Commander. [Ports are encouraged to validate existing / new booming plans in conjunction with their Tier 2 contractor]; and
 - Input by the Tier 2 contractor into the exercise hot wash up and post exercise report.