

# Cargo Care Checklist: Coal

## ACTION TO BE TAKEN WHEN DEALING WITH COAL CARGO

This checklist should be used in conjunction with the ship operator's procedures and the IMSBC code.

### 01 PRIOR TO LOADING

#### Equipment

Vessel equipped with correct equipment for the carriage of coal .....

#### Note:

Calibrated and certified gas monitoring equipment fitted with a catalytic sensor available onboard. That can measure methane, oxygen and carbon monoxide in an oxygen-depleted atmosphere.

Testing equipment to monitor the pH of bilge water.

Temperature measuring equipment capable of monitoring temperature of between 0°C and 100°C.

#### Documentation received from shipper

Correct Bulk Cargo Shipping Name (BCSN) as per the IMSBC code 4.3.3 including:

Cargo Group .....

Moisture content (established within 7 days of loading) .....

TML (established within 6 months of loading) .....

Sulphur Content .....

Particle Size .....

If the cargo is liable to emit methane .....

If the cargo is liable to self-heat .....

#### Warning

Indonesian coal should be treated as self heating regardless of declaration

If not group A/B then certificate provided by competent authority

No cargo to be loaded without documentation

#### Visual Inspection of cargo stockpile

Look for excessive moisture prior to loading .....

Look for signs of heating prior to loading .....

#### Cargo temperature

Cargo temperature on loading confirmed as less than 55 degrees Celsius .....

#### Note:

If cargo temperature greater than 55 degrees, reject cargo and follow company procedures with letter of protest and request an expert.

### 02 LOADING

Cargo temperature less than 55° .....

# Cargo Care Checklist: Coal (cont.)

## ACTION TO BE TAKEN WHEN DEALING WITH COAL CARGO

This checklist should be used in conjunction with the ship operator's procedures and the IMSBC code.

- No signs of liquefaction .....
- No sign of foreign matter .....

### Hatch covers

- Ensure non-working hatches are kept closed during loading .....
- On completion of loading hatch covers to be closed and ventilate as appropriate .....

### Warning

For self-heating coals only natural surface ventilation is permitted for the minimum time necessary to remove methane buildup.

- Confirm that methane levels are at an acceptably low level prior to closing hold ventilation. ....


## 03 ON PASSAGE

### Note:

Hold atmosphere to be monitored for the concentrations of methane, oxygen and carbon monoxide at regular intervals and the readings recorded.

Hold bilge water should be tested for its pH level, if acidic, increase the frequency in which bilges are emptied.

## CARGO MONITORING FLOW CHART



# Cargo Care Checklist: Coal (cont.)

## ACTION TO BE TAKEN WHEN DEALING WITH **COAL** **CARGO**

This checklist should be used in conjunction with the ship operator's procedures and the IMSBC code.

### Warning

Ensure that personnel do not enter any cargo hold or adjacent enclosed space until the space has been ventilated and the atmosphere tested and confirmed as safe for entry.

### 03 DISCHARGE

Hold atmosphere confirmed safe – no personnel to enter until this is confirmed.....

Methane levels acceptable before hatches opened.....

#### Disclaimer

The purpose of this publication is to provide a source of information which is additional to that available to the maritime industry from regulatory, advisory, and consultative organisations. Whilst care is taken to ensure the accuracy of any information made available no warranty of accuracy is given and users of that information are to be responsible for satisfying themselves that the information is relevant and suitable for the purposes to which it is applied. In no circumstances whatsoever shall North be liable to any person whatsoever for any loss or damage whensoever or howsoever arising out of or in connection with the supply (including negligent supply) or use of information.

Unless the contrary is indicated, all articles are written with reference to English Law. However it should be noted that the content of this publication does not constitute legal advice and should not be construed as such. Members should contact North for specific advice on particular matters.